


PRODUCT CATALOG

The people who build our world have always deserved better tools.


GRALY®

TABLE OF CONTENTS

COMPANY

BRAND STORY 01
COMPANY TIMELINE 02

CUTTING

CIRCULAR SAW BLADE
Technical Reference 05
Spec Sheet 07

DIAMOND BLADE
Technical Reference 15
Spec Sheet 16

CIRCULAR METAL CUT-OFF
Technical Reference 19
Spec Sheet 20

DRILLING

JOBBER DRILL BIT
Technical Reference 23
Spec Sheet 24

SANDING

FLAP DISC
Technical Reference 27
Spec Sheet 28

GRINDING

GRINDING WHEEL
Technical Reference 31
Spec Sheet 32

PACKAGING

PRODUCT PACKAGING 35

FROM MACAU TO THE WORLD

CRALY Tools began its journey in Macau, China and now has offices in both China and the US. CRALY has decades of experience in designing and manufacturing high-quality power tool accessories. We're a team of dedicated professionals with years of expertise in the tool industry.

We love craftsmanship and we want to make it cool for everyone. We create world-class power tool accessories that help you work more efficiently.

While improving and growing, we aim to create a better experience for your daily tasks and see how we can help people stay focused on their most rewarding, productive work.

2022 — Launched in the United States

2024 — Expanded into Canada and Mexico

2025 — Entered the United Kingdom

2026 — Expanded into Germany and France

CUTTING

CIRCULAR SAW BLADE



CRALY circular saw blades combine precision-ground carbide teeth, optimized kerf geometry, and advanced anti-vibration technology for clean, accurate cuts with greater stability and control.

Circular Saw Blade Series



Professional



Essential

PRODUCT FEATURES



BLACK ICE® SHIELD
Minimize friction, heat & corrosion



LASER-CUT BODY
Precise cutting experience




THIN KERF DESIGN
Minimum waste & burrs



EXPANSION SLOT DESIGN
Vibration & noise reduction



HIGH-DENSITY CARBIDE TEETH
Extreme durability



TEETH SHAPE


ATB


MTCG


TCG


MATB


FLAT


COMB

RECOMMENDED MAX. RPM

DIAMETER	WOOD	ALUMINUM	METAL
3-3/8" (85mm)	18,000	-	-
4-1/2" (115mm)	13,300	12,000	-
5-3/8" (137mm)	12,000	12,000	5,000
5-1/2" (140mm)	12,000	12,000	5,000
6-1/2" (165mm)	9,000	9,000	4,800
7-1/4" (184mm)	8,000	8,000	6,300
8" (203mm)	-	-	4,300

DIAMETER	WOOD	ALUMINUM	METAL
8-1/4" (210mm)	7,000	-	-
8-1/2" (216mm)	7,000	-	-
9-1/4" (235mm)	7,000	-	3,000
10" (254mm)	6,000	6,000	3,000
10-1/4" (260mm)	6,000	-	-
12" (305mm)	5,000	5,000	1,800
14" (355mm)	3,500	4,200	1,800

CUTTING MATERIAL

WOOD BLADE


Soft wood


Hard wood


Plywood


Laminated


MDF


OSB

METAL BLADE


Angle iron


Sheet


Beam


Hollow steel pipe


Threaded steel bar


Stainless steel

CONSTRUCTION WOOD BLADE


Plywood


Laminated


Wood & Nails

LAMINATED PANEL BLADE


Plywood


Laminated


MDF

ALUMINUM BLADE


Aluminum bar


Aluminum block



Copper


FIBER CEMENT BLADE



Fiber cement


Eternit

CIRCULAR SAW BLADE







B	Bore	C	Radial side clearance	CP	Copper plug	CT	Carbide tip
D	Diameter	ES	Expansion slot	G	Gullet	H	Hook / Rake angle
HV	Cooling slot	K	Kerf	L	Anti-kickback chip limiter	P	Plate
PH	Pin hole	R	Relief angle	S	Shoulder	T	Tangential clearance
TB	Top bevel angle	TR	Tensioning ring	VS	Vibration slots		



1 PACK-WOOD FRAMING CIRCULAR SAW BLADE

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	GRIND
	C0324FR	3-3/8" (85mm)	24T	15mm	1.2mm	ATB
	C0424FR	4-1/2" (115mm)	24T	3/8"	1.6mm	ATB
	C0424FR-E	4-1/2" (115mm)	24T	7/8"	1.6mm	ATB
	C05424FR-D	5-3/8" (137mm)	24T	20mm	1.6mm	ATB
	C05524FR-B	5-1/2" (140mm)	24T	10mm	1.6mm	ATB
	C0524FR	5-1/2" (140mm)	24T	5/8"	1.6mm	ATB
	C05524FR-D	5-1/2" (140mm)	24T	20mm	1.6mm	ATB
	C0624FR	6-1/2" (165mm)	24T	5/8"+Diamond	1.6mm	ATB
	C0724FR	7-1/4" (184mm)	24T	5/8"+Diamond	1.6mm	ATB
	C0824FR	8-1/4" (210mm)	24T	5/8"+Diamond	2.1mm	ATB

COMPATIBILITY & POWER SOURCE
- Hand-held saw, miter saw, and table saw
- Corded and cordless

FEATURES
- **30% more cuts per battery charge**
- **Cuts through 500 nails**



1 PACK-WOOD FINISH CIRCULAR SAW BLADE

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	GRIND
	C0336FF	3-3/8" (85mm)	36T	15mm	1.2mm	ATB
	C0436FF	4-1/2" (115mm)	36T	3/8"	1.6mm	ATB
	C0436FF-E	4-1/2" (115mm)	36T	7/8"	1.6mm	ATB
	C05436FF-D	5-3/8" (137mm)	36T	20mm	1.6mm	ATB
	C05536FF-B	5-1/2" (140mm)	36T	10mm	1.6mm	ATB
	C0536FF	5-1/2" (140mm)	36T	5/8"	1.6mm	ATB
	C05536FF-D	5-1/2" (140mm)	36T	20mm	1.6mm	ATB
	C0640FF	6-1/2" (165mm)	40T	5/8"+Diamond	1.6mm	ATB
	C0660FF	6-1/2" (165mm)	60T	5/8"+Diamond	1.6mm	ATB
	C0740FF	7-1/4" (184mm)	40T	5/8"+Diamond	1.6mm	ATB
	C0760FF	7-1/4" (184mm)	60T	5/8"+Diamond	1.6mm	ATB
	C0840FF	8-1/4" (210mm)	40T	5/8"+Diamond	2.1mm	ATB
	C0860FF	8-1/4" (210mm)	60T	5/8"+Diamond	2.1mm	ATB
	C1050CT	10" (254mm)	50T	5/8"	2.4mm	COMB
	C1060FF	10" (254mm)	60T	5/8"	2.4mm	ATB
	C1080FF	10" (254mm)	80T	5/8"	2.4mm	ATB
	C1280FF	12" (305mm)	80T	1"	3.0mm	ATB
	C12100FF	12" (305mm)	100T	1"	2.5mm	ATB

COMPATIBILITY & POWER SOURCE
- Hand-held saw, miter saw, and table saw
- Corded and cordless

FEATURES
- **30% more cuts per battery charge**
- **Smooth cutting surface**



1 PACK-ALUMINUM CUTTING CIRCULAR SAW BLADE

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	GRIND
	C0442AL	4-1/2" (115mm)	42T	3/8"	1.6mm	TCG
	C0550AL	5-3/8" (137mm)	50T	20mm	1.6mm	TCG
	C05550AL-B	5-1/2" (140mm)	50T	10mm	1.6mm	TCG
	C05550AL-C	5-1/2" (140mm)	50T	5/8"	1.6mm	TCG
	C0654AL	6-1/2" (165mm)	54T	5/8"	2.0mm	TCG
	C0756AL	7-1/4" (184mm)	56T	5/8"	2.0mm	TCG
	C1080AL	10" (254mm)	80T	5/8"	2.5mm	TCG
	C10100AL	10" (254mm)	100T	5/8"	2.5mm	TCG
	C12100AL	12" (305mm)	100T	1"	2.7mm	TCG
	C14120AL	14" (355mm)	120T	1"	3.0mm	TCG

COMPATIBILITY & POWER SOURCE
- Hand-held saw, miter saw, and table saw
- Corded and cordless

FEATURES
- **Thin kerf design**
- **Durable service life**



1 PACK-METAL CUTTING CIRCULAR SAW BLADE

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	GRIND
	C0530MC	5-3/8" (137mm)	30T	20mm	1.6mm	MATB
	C0648MC	6-1/2" (165mm)	48T	5/8"	1.8mm	MATB
	C0748MC	7-1/4" (184mm)	48T	5/8"	1.8mm	MATB
	C0842MC	8" (203mm)	42T	5/8"	2.0mm	MATB
	C1050MC	10" (254mm)	50T	5/8"	2.0mm	TCG
	C1260MC	12" (305mm)	60T	1"	2.2mm	TCG
	C1466MC	14" (355mm)	66T	1"	2.3mm	MATB
	C1472MC	14" (355mm)	72T	1"	2.3mm	MATB

COMPATIBILITY & POWER SOURCE
- Hand-held saw, miter saw, and table saw
- Corded and cordless

FEATURES
- **Ultra-thin kerf design**



1 PACK-FIBER CEMENT CIRCULAR SAW BLADE

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	GRIND
	C0604FC	6-1/2" (165mm)	4T	5/8"+Diamond	1.8mm	FLAT
	C0704FC	7-1/4" (184mm)	4T	5/8"+Diamond	1.8mm	FLAT
	C1006FC	10" (254mm)	6T	5/8"	2.0mm	FLAT
	C1208FC	12" (305mm)	8T	1"	2.4mm	FLAT

COMPATIBILITY & POWER SOURCE
- Hand-held saw and table saw
- Corded and cordless

FEATURES | **PCD-tipped**



1 PACK-WOOD FINISH TRACKSAW BLADE

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	GRIND
	C0648TS	6-1/2" (165mm)	48T	20mm	1.6mm	ATB
	C0656TS	6-1/2" (165mm)	56T	20mm	1.6mm	COMB


COMPATIBILITY & POWER SOURCE
- Plunge track saw and table saw
- Corded and cordless

FEATURES | **30% more cuts per battery charge** | **Smooth cutting surface**



DADO SET 8" 14PC WOOD BLADE

SPECIFICATIONS	ITEM #	COMPONENT	TEETH	ARBOR	KERF	TOTAL
	DADO203-7	OLB 8" (203mm)	24T	5/8"	3.2mm	1-PCS
		ORB 8" (203mm)	24T	5/8"	3.2mm	1-PCS
		PLATE 8" (203mm)	4T	5/8"	4.0mm	4-PCS
		PLATE 8" (203mm)	4T	5/8"	2.4mm	1-PCS
		BUSHING SET (80mm)	/	16mm	/	7-PCS



COMPATIBILITY & POWER SOURCE
- 10-inch table saw
- Corded and cordless

FEATURES | **Cutting range 1/4" – 13/16"**

SET PACK CIRCULAR SAW BLADE

FRAMING WOOD

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	TOTAL
	C0324FR-3	3-3/8" (85mm)	24T	15mm	1.2mm	3-Pack
	C0424FR-3	4-1/2" (115mm)	24T	3/8"	1.6mm	3-Pack
	C05424FR-2D	5-3/8" (137mm)	24T	20mm	1.6mm	2-Pack
	C05524FR-2B	5-1/2" (140mm)	24T	10mm	1.6mm	2-Pack
	C0524FR-3	5-1/2" (140mm)	24T	5/8"	1.6mm	3-Pack
	C0624FR-2-B	6-1/2" (165mm)	24T	5/8"+Diamond	1.6mm	2-Pack
	C0624FR-10	6-1/2" (165mm)	24T	5/8"+Diamond	1.6mm	10-Pack
	C0724FR-2-B	7-1/4" (184mm)	24T	5/8"+Diamond	1.6mm	2-Pack
	C0724FR-10	7-1/4" (184mm)	24T	5/8"+Diamond	1.6mm	10-Pack

FINISH WOOD

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	TOTAL
	C0336FF-3	3-3/8" (85mm)	36T	15mm	1.2mm	3-Pack
	C0436FF-2	4-1/2" (115mm)	36T	3/8"	1.6mm	2-Pack
	C0436FF-2E	4-1/2" (115mm)	36T	7/8"	1.6mm	2-Pack
	C05436FF-2D	5-3/8" (137mm)	36T	20mm	1.6mm	2-Pack
	C05536FF-2B	5-1/2" (140mm)	36T	10mm	1.6mm	2-Pack
	C0536FF-2	5-1/2" (140mm)	36T	5/8"	1.6mm	2-Pack
	C0640FF-2	6-1/2" (165mm)	40T	5/8"+Diamond	1.6mm	2-Pack
	C0660FF-2	6-1/2" (165mm)	60T	5/8"+Diamond	1.6mm	2-Pack
	C0740FF-2	7-1/4" (184mm)	40T	5/8"+Diamond	1.6mm	2-Pack
	C0760FF-2	7-1/4" (184mm)	60T	5/8"+Diamond	1.6mm	2-Pack

FRAMING, FINE FINISH

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	TOTAL
	C032436-2	3-3/8" (85mm)	24T&36T	15mm	1.2mm	2-Pack
	C042436-2	4-1/2" (115mm)	24T&36T	3/8"	1.6mm	2-Pack
	C042436-2E	4-1/2" (115mm)	24T&36T	7/8"	1.6mm	2-Pack
	C0542436-2D	5-3/8" (137mm)	24T&36T	20mm	1.6mm	2-Pack
	C0552436-2D	5-1/2" (140mm)	24T&36T	20mm	1.6mm	2-Pack
	C0552436-2B	5-1/2" (140mm)	24T&36T	10mm	1.6mm	2-Pack
	C052436-2	5-1/2" (140mm)	24T&36T	5/8"	1.6mm	2-Pack
	C062460-2C	6-1/2" (165mm)	24T&60T	5/8"+Diamond	1.6mm	2-Pack
	C072460-2C	7-1/4" (184mm)	24T&60T	5/8"+Diamond	1.6mm	2-Pack
	C07244060-3	7-1/4" (184mm)	24T&40T&60T	5/8"+Diamond	1.6mm	3-Pack

WOOD, METAL, ALUMINUM


SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	TOTAL
	C0530MC-3	5-3/8" (137mm)	30T	20mm	1.6mm	3-Pack
	C054243050-3D	5-3/8" (137mm)	24T&30T&50T	20mm	1.6mm	3-Pack
	C054243650-3D	5-3/8" (137mm)	24T&36T&50T	20mm	1.6mm	3-Pack

FIBER CEMENT


SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	TOTAL
	C0704FC-3	7-1/4" (184mm)	4T	5/8"+Diamond	1.8mm	3-Pack

COMPATIBILITY & POWER SOURCE
- Hand-held saw, miter saw, and table saw
- Corded and cordless

PRODUCT FEATURES



HIGH-PRECISION
THREADED BUSHING



HANGING PACKAGE
DESIGN

BUSHING SET (SILVER)



SPECIFICATIONS	ITEM #	S/N	OUTER Ø	INNER Ø	THICKNESS	TOTAL
	BU-08-16	A	20mm	5/8"		2-PCS
		B	20mm	1/2"		2-PCS
		C	20mm	10mm	1.0mm	2-PCS
		D	5/8"	3/8"		2-PCS
		E	5/8"	1/2"		2-PCS
		F	30mm	5/8"		2-PCS
		G	7/8"	5/8"	1.5mm	2-PCS
		H	1"	5/8"		2-PCS

FEATURES | **High-precision bushing set**

BUSHING SET (BLUE)



SPECIFICATIONS	ITEM #	S/N	OUTER Ø	INNER Ø	THICKNESS	TOTAL
	BU-08-16A	A	20mm	10mm		2-PCS
		B	20mm	5/8"		2-PCS
		C	7/8"	5/8"		2-PCS
		D	5/8"	3/8"	1.0mm	2-PCS
		E	5/8"	10mm		2-PCS
		F	1"	5/8"		2-PCS
		G	1"	20mm		2-PCS
		H	7/8"	20mm		2-PCS

FEATURES | **High-precision bushing set**



ESSENTIAL CIRCULAR SAW BLADE

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	GRIND	TOTAL
	C0624FR-M25	6-1/2" (165mm)	24T	5/8"+Diamond	1.6mm	ATB	25-Pack
	C0724FR-M25	7-1/4" (184mm)	24T	5/8"+Diamond	1.6mm	ATB	25-Pack

COMPATIBILITY & POWER SOURCE
- Table saw, hand-held saw, and miter saw
- Corded and cordless

FEATURES | **Cost-effective for DIY** | **Fine-grained WC-Co carbide**



ESSENTIAL CIRCULAR SAW BLADE

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	GRIND	TOTAL
	CY102460-2	10" (254mm)	24T	5/8"	2.4mm	ATB	1-Pack
		10" (254mm)	60T	5/8"	2.4mm	ATB	1-Pack
	CY124080-2	12" (305mm)	40T	1"	2.5mm	ATB	1-Pack
		12" (305mm)	80T	1"	2.5mm	ATB	1-Pack

COMPATIBILITY & POWER SOURCE
- Miter saw and table saw
- Corded and cordless

FEATURES | **Up to 50% more cut capacity** | **Fine-grained WC-Co carbide**



ESSENTIAL CIRCULAR SAW BLADE

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	KERF	GRIND	TOTAL
	C055100WB-3	5-1/2" (140mm)	100T	5/8"	1.6mm	ATB	3-Pack
	C06140WB-2	6-1/2" (165mm)	140T	5/8"	1.6mm	ATB	2-Pack
	C07140WB-2	7-1/4" (184mm)	140T	5/8"+Diamond	1.6mm	ATB	2-Pack

COMPATIBILITY & POWER SOURCE
- Hand-held saw
- Corded and cordless

FEATURES | **High-hardness industrial steel teeth**



CUTTING
DIAMOND BLADE

CRALY diamond blades use high-density diamond segments, optimized bond formulations, and purpose-built rim geometries to deliver a fast, controlled cutting experience across tile, masonry, and concrete.

Diamond Blade Series




Ceramic Pro



Concrete Pro

PRODUCT FEATURES



IDEAL FOR CUTTING



IDEAL FOR CUTTING



IDEAL FOR CUTTING



WET/DRY CUT MAX. RPM

DIAMETER	CERAMIC PRO	CONCRETE PRO
3" (76mm)	MAX. RPM 20,000	-
4-1/2" (115mm)	MAX. RPM 13,300	MAX. RPM 13,300
5" (125mm)	MAX. RPM 12,000	MAX. RPM 12,000
5-1/2" (140mm)	-	MAX. RPM 11,000
6" (150mm)	-	MAX. RPM 10,000
7" (180mm)	MAX. RPM 8,400	MAX. RPM 8,400
9" (230mm)	-	MAX. RPM 6,500
10" (250mm)	-	MAX. RPM 6,000
14" (355mm)	-	MAX. RPM 3,500



CERAMIC PRO BLADE

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	DIAMOND THICKNESS	TOTAL
	10111504-1002	4-1/2" (115mm)	Turbo	7/8"	1.4mm	2-Pack
	10111504-1005	4-1/2" (115mm)	Turbo	7/8"	1.4mm	5-Pack
	10112504-1002	5" (125mm)	Turbo	7/8"	1.4mm	2-Pack
	10112504-1005	5" (125mm)	Turbo	7/8"	1.4mm	5-Pack


COMPATIBILITY & POWER SOURCE
- Angle grinder and tile saw
- Corded and cordless



FEATURES
- **Reinforced blade structure**
- **Polymer integrated flange**
- **Premium diamond matrix**



CERAMIC PRO BLADE



SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	DIAMOND THICKNESS	TOTAL
	10107601-1002	3" (76mm)	X-Turbo	3/8"	1.4mm	2-Pack
	10107602-1002	3" (76mm)	Turbo	3/8"	1.4mm	2-Pack
	10111501-1001	4-1/2" (115mm)	X-Turbo	7/8"	1.4mm	1-Pack
	10111501-1002	4-1/2" (115mm)	X-Turbo	7/8"	1.4mm	2-Pack
	10111501-1005	4-1/2" (115mm)	X-Turbo	7/8"	1.4mm	5-Pack
	10111503-1001	4-1/2" (115mm)	X-Turbo	7/8"	1.4mm	1-Pack
	10111503-1002	4-1/2" (115mm)	X-Turbo	7/8"	1.4mm	2-Pack
	10111503-1005	4-1/2" (115mm)	X-Turbo	7/8"	1.4mm	5-Pack
	10112501-1001	5" (125mm)	X-Turbo	7/8"	1.4mm	1-Pack
	10112501-1002	5" (125mm)	X-Turbo	7/8"	1.4mm	2-Pack
	10112501-1005	5" (125mm)	X-Turbo	7/8"	1.4mm	5-Pack
	10118001-1001	7" (180mm)	Turbo	Diamond 7/8"	2.6mm	1-Pack
	10118003-1001	7" (180mm)	Turbo	5/8"	2.0mm	1-Pack

COMPATIBILITY & POWER SOURCE
- Angle grinder and tile saw
- Corded and cordless

FEATURES
- **Premium diamond matrix**
- **4X extreme durability**
- **Diamond height 10mm**



CONCRETE PRO SEGMENTED BLADE



SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	DIAMOND THICKNESS	TOTAL
	10111502-1001	4-1/2" (115mm)	9T	7/8"	2.0mm	1-Pack
	10111502-1002	4-1/2" (115mm)	9T	7/8"	2.0mm	2-Pack
	10111502-1005	4-1/2" (115mm)	9T	7/8"	2.0mm	5-Pack
	10112502-1002	5" (125mm)	9T	7/8"	2.2mm	2-Pack
	10114001-1002	5-1/2" (140mm)	12T	5/8"	2.2mm	2-Pack
	10115001-1002	6" (150mm)	12T	7/8"	2.2mm	2-Pack
	10118002-1001	7" (180mm)	14T	Diamond 7/8"	2.4mm	1-Pack
	10123001-1002	9" (230mm)	16T	7/8"	2.6mm	2-Pack
	10125001-1001	10" (250mm)	18T	7/8"	2.8mm	1-Pack
	10135501-1001	14" (355mm)	24T	1"	3.2mm	1-Pack
	10135501-1002	14" (355mm)	24T	1"	3.2mm	2-Pack

COMPATIBILITY & POWER SOURCE
- Angle grinder and masonry saw
- Corded and cordless

FEATURES
- **Premium diamond matrix**
- **4X extreme durability**
- **Diamond height 10mm**

CUTTING

CIRCULAR METAL CUT-OFF




CRALY cut-off wheels are built with premium aluminum oxide grain, reinforced fiberglass layers, and high-strength resin bonds for precise cutting and dependable durability.




Metal Cut-Off Pro

PRODUCT FEATURES



Iron ring | Surface | Fiberglass mesh | Abrasive | Abrasive | Fiberglass mesh



ULTRA-THIN KERF DISC
Save materials & improve efficiency

DOUBLE FIBERGLASS MESH
Safe cutting & no cracking

NON-WOVEN FABRIC
Reduce backside wear & enhance structural strength

HI-PERFORMANCE ABRASIVE
Built for extremely long cutting life

METAL CUT-OFF MAX. RPM

DIAMETER	MAX. RPM
3" (76mm)	20,000
4-1/2" (115mm)	13,280
5" (125mm)	12,200
6" (150mm)	10,150

COMPATIBLE CUTTING MATERIAL


Stainless steel


Flat bar


Channel


Solid iron


Rebar


Aluminum



METAL CUT-OFF

SPECIFICATIONS	ITEM #	DIAMETER	ARBOR	PLATE	TOTAL
	30107601-10	3" (76mm)	3/8" (9.5mm)	.040" (1mm)	10-Pack
	30107601-25	3" (76mm)	3/8" (9.5mm)	.040" (1mm)	25-Pack
	30111501-10	4-1/2" (115mm)	7/8" (22.2mm)	.040" (1mm)	10-Pack
	30111501-25	4-1/2" (115mm)	7/8" (22.2mm)	.040" (1mm)	25-Pack
	30111501-50	4-1/2" (115mm)	7/8" (22.2mm)	.040" (1mm)	50-Pack
	30112501-25	5" (125mm)	7/8" (22.2mm)	.040" (1mm)	25-Pack
	30115001-25	6" (150mm)	7/8" (22.2mm)	.059" (1.5mm)	25-Pack

COMPATIBILITY & POWER SOURCE
- Angle grinder
- Corded and cordless

FEATURES
Up to 80% longer life | **TYPE 1 & A60TBF**

DRILLING

JOBBER DRILL BIT



CRALY jobber drill bits feature Dash Tip and Split Point geometry with titanium coating for fast starts, accurate drilling, and enhanced wear resistance.

Drill Bit Series



CRALY Dash Tip



Split Point

PRODUCT FEATURES



TRU M35 5% COBALT
Strong wear resistance and longer lifespan

135° SPLIT POINT DESIGN

TITANIUM COATING
Most effective material removal & universal drilling



Dash tip design
Start drilling with ease & accuracy

IDEAL FOR DRILLING


Mild steel


Metal


Aluminum


Wood


PVC



TITANIUM DRILL BIT 21-PIECE SET

SPECIFICATIONS	ITEM #	SIZE	135° SPLIT POINT
	20112701	1/2", 3/8", 5/16", 1/4", 15/64", 7/32", 13/64", 3/16"	DASH TIP
		9/64", 1/8"×2, 5/32", 11/64", 7/64"×2, 3/32"×2, 5/64"×2, 1/16"×2	

FEATURES | 4X lifetime



TITANIUM DRILL BIT 15-PIECE SET

SPECIFICATIONS	ITEM #	SIZE	135° SPLIT POINT
	20109501	3/8", 5/16", 1/4", 7/32", 3/16"	DASH TIP
		5/32", 9/64", 1/8"×2, 7/64", 3/32"×2, 5/64", 1/16"×2	

FEATURES | 4X lifetime



DRILL BIT 13-PIECE SET

SPECIFICATIONS	ITEM #	SIZE	135° SPLIT POINT
	20106401	1/4", 7/32", 3/16", 5/32", 9/64", 1/8"×2, 7/64", 3/32"×2, 5/64", 1/16"×2	

FEATURES | 2X lifetime



TITANIUM DRILL BIT 10-PIECE SET

SPECIFICATIONS	ITEM #	SIZE	135° SPLIT POINT
	20101610	1/16"×10	
	20102410	3/32"×10	
	20103210	1/8"×10	
	20106410	1/4"×10	DASH TIP

FEATURES | 4X lifetime

SANDING

FLAP DISC



CRALY flap discs pair premium zirconia abrasive grain with optimized flap density and reinforced backing for aggressive stock removal, consistent control, and smooth surface finishing.

Flap Disc Series




Flap Disc T29




Flap Disc T27


PRODUCT FEATURES

T27 HORIZONTAL DESIGN
For heavy-duty material removal with long grinding life



T29 ANGLED DESIGN
For precise trimming on contours & edges





HI-STRENGTH BACKING MATERIAL
Safe grinding without breakage

HI-PERFORMANCE ZIRCONIA
Enhances wear resistance & extends product lifespan

FLAP DISC MAX. RPM

DIAMETER	
4-1/2" (115mm)	MAX. RPM 13,300

COMPATIBLE SANDING MATERIAL


Stainless steel


Flat bar


Channel


Solid iron


Rebar


Aluminum




FLAP DISC T29 10PCS

FLAP DISC ZIRCONIA

SPECIFICATIONS	ITEM #	SIZE	ARBOR	GRIT	TYPE	TOTAL
	30211501-10	4-1/2" (115mm)	7/8"	40	T29	10-Pack
	30211502-10	4-1/2" (115mm)	7/8"	60	T29	10-Pack
	30211503-10	4-1/2" (115mm)	7/8"	80	T29	10-Pack

COMPATIBILITY & POWER SOURCE
- Angle grinder
- Corded and cordless



FEATURES
Up to 40% faster grinding | **Up to 3X the lifespan**




FLAP DISC T29 20PCS

FLAP DISC ZIRCONIA

SPECIFICATIONS	ITEM #	SIZE	ARBOR	GRIT	TYPE	TOTAL
	30211529-20	4-1/2" (115mm)	7/8"	40	T29	10-Pack
		4-1/2" (115mm)	7/8"	60	T29	5-Pack
		4-1/2" (115mm)	7/8"	80	T29	3-Pack
		4-1/2" (115mm)	7/8"	120	T29	2-Pack

COMPATIBILITY & POWER SOURCE
- Angle grinder
- Corded and cordless



FEATURES
Up to 40% faster grinding | **Up to 3X the lifespan**



FLAP DISC T27 20PCS

FLAP DISC ZIRCONIA

SPECIFICATIONS	ITEM #	SIZE	ARBOR	GRIT	TYPE	TOTAL
	30211527-20	4-1/2" (115mm)	7/8"	40	T27	10-Pack
		4-1/2" (115mm)	7/8"	60	T27	5-Pack
		4-1/2" (115mm)	7/8"	80	T27	3-Pack
		4-1/2" (115mm)	7/8"	120	T27	2-Pack

COMPATIBILITY & POWER SOURCE
- Angle grinder
- Corded and cordless



FEATURES
Up to 40% faster grinding | **Up to 3X the lifespan**

GRINDING

GRINDING WHEEL



CRALY grinding wheels combine optimized diamond segments, reinforced construction, and aggressive tooth geometry for rapid stock removal, dependable control, and extended service life.

Grinding Wheel Series



Standard Arbor



Threaded Arbor

PRODUCT FEATURES

TOUGH MACHINED CUP BODY
5/8"-11 threaded arbor for a solid, secure grinder fit

AIR HOLE DESIGN
Keeps the wheel cooler and clears debris during grinding

TURBO SEGMENTED TEETH
Optimized for precise, smooth stone grinding





GRINDING WHEEL MAX. RPM

DIAMETER	
4-1/2" (115mm)	MAX. RPM 13,300
5" (125mm)	MAX. RPM 10,000
7" (180mm)	MAX. RPM 8,500

HARD SURFACE GRINDING


Concrete


Brick


Masonry


Granite


Stone


Marble



GRINDING WHEEL STANDARD ARBOR

DIAXGRINDER

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	GRIT	TOTAL
	30411501	4-1/2" (115mm)	13T	7/8"	#30-40	1-Pack
	30412501	5" (125mm)	13T	7/8"	#30-40	1-Pack
	30418001	7" (180mm)	18T	5/8"	#30-40	1-Pack

COMPATIBILITY & POWER SOURCE
- Angle grinder
- Corded and cordless

FEATURES
Up to 30% extended lifetime | **Dry or wet**



GRINDING WHEEL THREADED ARBOR

DIAXGRINDER

SPECIFICATIONS	ITEM #	DIAMETER	TEETH	ARBOR	GRIT	TOTAL
	30411502	4-1/2" (115mm)	13T	5/8"-11	#30-40	1-Pack
	30418002	7" (180mm)	20T	5/8"-11	#30-40	1-Pack

COMPATIBILITY & POWER SOURCE
- Angle grinder
- Corded and cordless

FEATURES
Up to 30% extended lifetime | **Dry or wet**


PACKAGING SOLUTIONS

Choose from multiple packaging formats and product cards to suit different product and retail needs.



PREMIUM PRINTED CORRUGATED BOX

CIRCULAR SAW BLADE (US)
DIAMOND BLADE (US)
Die-cut mailer box with circular retention insert



GRINDING WHEEL (US)
Roll end tuck (RETF) corrugated box



FLAP DISC (US)
Roll end tuck (RETF) corrugated box




JOBBER DRILL BIT (US)
Reverse tuck end (RTE) carton with a plastic tool case



RESOURCE-EFFICIENT PACKAGING

CIRCULAR SAW BLADE (EU)
Die-cut mailer box with circular retention insert



METAL CUT-OFF (US/EU)
Roll end tuck (RETF) corrugated box



RETAIL PACKAGING

CIRCULAR SAW BLADE (US)
Clamshell pack



CIRCULAR SAW BLADE (US)
Roll end tuck (RETF) corrugated box



Get in Touch

T: +1 (585) 269-1653
E: contact@cralytools.com
W: www.cralytools.com

Social Media

Instagram
@cralytools

Facebook
@cralytools

Product specifications are subject to change without prior notice. Please contact the CRALY team for the most up-to-date product information.